Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Trade name: Acrylic Bonding Agent J40
- · Article number: 69082AU
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton Superior Corporation (Australia) PTY LTD

5A Connection Drive

Campbellfield, VIC 3061

Australia

Australia Phone: +61 1300 DAYTON (329866)

· Emergency telephone number:

Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

Australia in-country <u>+(61)-2903</u>72994

2 Hazard(s) Identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

1,2-benzisothiazol-3(2H)-one

· Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

 Printing date 28.02.2017
 Version number 183
 Revision: 28.02.2017

Trade name: Acrylic Bonding Agent J40

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

4719-04-4 | 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

🚸 Acute Tox. 4, H302; Skin Sens. 1, H317

<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 28.02.2017 Version number 183 Revision: 28.02.2017

Trade name: Acrylic Bonding Agent J40

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4

Printing date 28.02.2017 Version number 183 Revision: 28.02.2017

Trade name: Acrylic Bonding Agent J40

 \cdot *Eye protection:* Wear appropriate eye protection to prevent eye contact.

(Contd. of page 3)

| Information on basic physical and chemi | ical properties |
|--|---|
| General Information | cui properties |
| Appearance: | |
| Form: | Liquid |
| Colour: | White |
| Odour: | Odourless |
| Odour threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/freezing point: | 0 °C |
| Initial boiling point and boiling range: | 100 °C |
| Flash point: | Not applicable. |
| Flammability (solid, gas): | Not applicable. |
| Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure at 20 °C: | 23 hPa |
| Density at 20 °C: | 1.03573 g/cm^3 |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| Dynamic at 20 °C: | 0 mPas |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 0.0 % |
| Water: | 48.5 % |
| Solids content: | 25.0 % |
| Other information | No further relevant information available. |

 Printing date 28.02.2017
 Version number 183
 Revision: 28.02.2017

Trade name: Acrylic Bonding Agent J40

(Contd. of page 4)

10 Stability and Reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation May cause skin irritation.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

(Contd. on page 6)

 Printing date 28.02.2017
 Version number 183
 Revision: 28.02.2017

Trade name: Acrylic Bonding Agent J40

(Contd. of page 5)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| Transport information | | |
|---|-----------------------|--|
| UN-Number ADG, ADN, IMDG, IATA | Non Regulated by DOT | |
| | Tion Regulated by 201 | |
| UN proper shipping name ADG, ADN, IMDG, IATA | Non Regulated by DOT | |
| Transport hazard class(es) | | |
| ADG, ADN, IMDG, IATA | | |
| Class | Non Regulated by DOT | |
| Packing group | | |
| ADG, IMDG, IATA | Non Regulated by DOT | |
| Environmental hazards: | | |
| Marine pollutant: | No | |
| Transport in bulk according to Annex II o | f Marpol and the | |
| IBC Ĉode | Not applicable. | |
| UN "Model Regulation": | Non Regulated by DOT | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| · Australian Inventory of Chemical Substances | | | |
|---|--|--|--|
| | 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol | | |
| 1310-73-2 | sodium hydroxide | | |
| | 1,2-benzisothiazol-3(2H)-one | | |
| 7732-18-5 | water, distilled, conductivity or of similar purity | | |
| · Standard f | · Standard for the Uniform Scheduling of Medicines and Poisons | | |

- 1310-73-2 sodium hydroxide

 GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

1,2-benzisothiazol-3(2H)-one

· Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

(Contd. on page 7)

S5, S6, S10

Trade name: Acrylic Bonding Agent J40

(Contd. of page 6)

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1: Skin sensitisation - Category 1

ΑU